


Collaborate



Control



Communicate



Converse

AV lecterns, cabinets, media walls, video walls, collaboration tables, huddle spaces, boardroom and meeting room tables, control desks, server racks, screen stands / trolleys and sound management solutions to name a few



EVOLine® FlipTop Push

The EVOLine® FlipTop Push provides an 'executive' yet simple and effective solution to future proof connectivity with its range of interchangeable data and multimedia sockets. At the press of a finger, the cover opens to reveal the power and connectivity sockets. Retractable, even when in use, the FlipTop Push provides a contemporary and stylish solution for the workplace, hotel and meeting/boardroom tables. Only 68mm in depth, it is quick and easy to install whether for new build, refurbishment or retrofit.

The FlipTop Push can be custom tailored and specified with [UK and/or international sockets](#), [USB Chargers](#), [data and multimedia modules](#).

Finish Options

- Brushed solid stainless steel cover, Black anodised aluminium profile.
- Black powder coated steel cover, Black anodised aluminium profile.
- White powder coated steel cover, Black anodised aluminium profile.
- Silver powder coated steel cover, Black anodised aluminium profile.



Flip top push


Description: EVOLine® Flip Top Push with UK Mains & USB Charge

(157mm x 195mm internal dimension only, please refer to installation instructions for cut-out size)

- 2 x UK sockets, individually fused 3.15A, with 3m supply cable & 13A UK plug
- 1 x Double USB, Type A+C charger socket (2.1A shared)

Product Codes:

PUSH-Q12605-1 (Brushed Stainless)
PUSH-Q12605-2 (Black Powder Coat)
PUSH-Q12605-3 (White Powder Coat)
PUSH-Q12605-4 (Silver Powder Coat)




Description: EVOLine® Flip Top Push with UK Mains, USB Charge & RJ45

(157mm x 245mm internal dimension only, please refer to installation instructions for cut-out size)

- 2 x UK sockets, individually fused 3.15A, with 3m supply cable & 13A UK plug
- 1 x Double USB, Type A+C charger socket (2.1A shared)
- 2 x RJ45 Cat6, shielded, Reichle & De-Massari data connection, with 3m data cable and plug

Product Codes:

PUSH-Q12606-1 (Brushed Stainless)
PUSH-Q12606-2 (Black Powder Coat)
PUSH-Q12606-3 (White Powder Coat)
PUSH-Q12606-4 (Silver Powder Coat)




Description: EVOLine® Flip Top Push with UK Mains, USB Charge & HDMI

(157mm x 245mm internal dimension only, please refer to installation instructions for cut-out size)

- 2 x UK sockets, individually fused 3.15A, with 3m supply cable & 13A UK plug
- 1 x Double USB, Type A+C charger socket (2.1A shared)
- 1 x HDMI 2.0 socket, with 3m cable and plug

Product Codes:

PUSH-Q12607-1 (Brushed Stainless)
PUSH-Q12607-2 (Black Powder Coat)
PUSH-Q12607-3 (White Powder Coat)
PUSH-Q12607-4 (Silver Powder Coat)




Description: EVOLine® Flip Top Push with UK Mains, USB Charge, HDMI & RJ45

(157mm x 295mm internal dimension only, please refer to installation instructions for cut-out size)

- 2 x UK sockets, individually fused 3.15A, with 3m supply cable & 13A UK plug
- 1 x Double USB, Type A+C charger socket (2.1A shared)
- 1 x HDMI 2.0 socket, with 3m cable and plug
- 2 x RJ45 Cat6, shielded, Reichle & De-Massari data connection, with 3m data cable and plug

Product Codes:

PUSH-Q12608-1 (Brushed Stainless)
PUSH-Q12608-2 (Black Powder Coat)
PUSH-Q12608-3 (White Powder Coat)
PUSH-Q12608-4 (Silver Powder Coat)





Flip top push

Description: EVOLine® Flip Top Push with UK Mains, USB Charge, USB Data & RJ45

(157mm x 345mm internal dimension only, please refer to installation instructions for cut-out size)

- 2 x UK sockets, individually fused 3.15A, with 3m supply cable & 13A UK plug
- 1 x Double USB, Type A+C charger socket (2.1A shared)
- 1 x HDMI 2.0 socket, with 3m cable and plug
- 2 x USB 3.0 Type A data transfer module with 3m USB cable and plug
- 2 x RJ45 Cat6, shielded, Reichle & De-Massari data connection, with 3m data cable and plug


Product Codes:

PUSH-Q12609-1 (Brushed Stainless)

PUSH-Q12609-2 (Black Powder Coat)

PUSH-Q12609-3 (White Powder Coat)

PUSH-Q12609-4 (Silver Powder Coat)



- VGA and audio options have been omitted although still available, £POA
- HDMI has been upgraded from 1.4 to 2.0 specification,
- U-Dock now has interchangeable Data & Multimedia modules, and available in 'All Black' finish
- We may have access to a very similar equivalent option, typically FlipTop Push, BackFlip, Square80 and Circle80 in UK stock for faster delivery within 1-3 working days. Details on request.





EVOline® Frame Dock

The EVOline® Frame Dock provides a simple and versatile solution to future proof connectivity with its range of interchangeable data and multimedia sockets. Flush mounted with only 51mm depth, the perfect solution for integrating power and connectivity into collaborative workspaces, soft seating and a host of other applications.

The Frame Dock can be tailored to accommodate the most demanding of connectivity requirements and configurable with [UK and/or international sockets, USB Chargers, data and multimedia modules.](#)

Finish Options


Silver anodised aluminium profile, Silver plastic covers.
Black anodised aluminium profile, Black plastic end covers.
White lacquered aluminium profile, White plastic end covers.

Description: EVOline® Frame Dock with UK Mains & USB Charge

- 2 x UK sockets, individually fused 3.15A, with 3m supply cable & 13A UK plug
- 1 x Double USB, Type A+C charger socket (2.1A shared)

Product Codes:

FDOC-Q12600-1 (Silver Anodised)
FDOC-Q12600-2 (Black Anodised)
FDOC-Q12600-3 (White Anodised)




Description: EVOline® Frame Dock with UK Mains, USB Charge & RJ45

- 2 x UK sockets, individually fused 3.15A, with 3m supply cable & 13A UK plug
- 1 x Double USB, Type A+C charger socket (2.1A shared)
- 2 x RJ45 Cat6, shielded, Reichle & De-Massari data connections, with 3m data cables and plugs

Product Codes:

FDOC-Q12601-1 (Silver Anodised)
FDOC-Q12601-2 (Black Anodised)
FDOC-Q12601-3 (White Anodised)






Description: EVOLine® Frame Dock with UK Mains, USB Charge & HDMI

- 2 x UK sockets, individually fused 3.15A, with 3m supply cable & 13A UK plug
- 1 x Double USB, Type A+C charger socket (2.1A shared)
- 1 x HDMI 2.0 socket, with 3m cable and plug

Product Codes:

- FDOC-Q12602-1 (Silver Anodised)
- FDOC-Q12602-2 (Black Anodised)
- FDOC-Q12602-3 (White Anodised)




Description: EVOLine® Frame Dock with UK Mains, USB Charge , HDMI & RJ45

- 2 x UK sockets, individually fused 3.15A, with 3m supply cable & 13A UK plug
- 1 x Double USB, Type A+C charger socket (2.1A shared)
- 1 x HDMI 2.0 socket, with 3m cable and plug
- 2 x RJ45 Cat6, shielded, Reichle & De-Massari data connections, with 3m data cables and plugs

Product Codes:

- FDOC-Q12603-1 (Silver Anodised)
- FDOC-Q12603-2 (Black Anodised)
- FDOC-Q12603-3 (White Anodised)







EVOLine® Frame Dock

The EVOLine FrameDock Hide provides the perfect solution for flush mounted sockets or charging into virtually any surface. Totally modular, it can be customized to suit your needs however much or little connectivity required

Various finish options in conjunction with only 53mm total installation depth make this a robust and versatile all-rounder. The new cover system enables your connectivity to be covered or uncovered when not in use

Finish Options

Silver anodised aluminium profile, Silver cover with black plastic covers.

Black anodised aluminium profile, Black plastic covers.

White lacquered aluminium profile, White plastic covers.

Description: EVOLine® Frame Dock with UK Mains & USB Charge

- 2 x UK sockets, individually fused 3.15A, with 3m supply cable & 13A UK plug
- 1 x Double USB, Type A+C charger socket (2.1A shared)

Product Codes:

FDOC-Q13258-1 (Silver Anodised)

FDOC-Q13258-2 (Black Anodised)

FDOC-Q13258-3 (White Anodised)



Description: EVOLine® Frame Dock with UK Mains, USB Charge & RJ45

- 2 x UK sockets, individually fused 3.15A, with 3m supply cable & 13A UK plug
- 1 x Double USB, Type A+C charger socket (2.1A shared)
- 2 x RJ45 Cat6, shielded, Reichle & De-Massari data connections, with 3m data cables and plugs

Product Codes:

FDOC-Q13259-1 (Silver Anodised)

FDOC-Q13259-2 (Black Anodised)

FDOC-Q13259-3 (White Anodised)



Description: EVOLine® Frame Dock with UK Mains, USB Charge & RJ45

- 2 x UK sockets, individually fused 3.15A, with 3m supply cable & 13A UK plug
- 1 x Double USB, Type A+C charger socket (2.1A shared)
- 1 x HDMI 2.0 Socket with 3m cable and plug

Product Codes:

FDOC-Q13260-1 (Silver Anodised)

FDOC-Q13260-2 (Black Anodised)

FDOC-Q13260-3 (White Anodised)



Description: EVOLine® Frame Dock with UK Mains, USB Charge & RJ45

- 2 x UK sockets, individually fused 3.15A, with 3m supply cable & 13A UK plug
- 1 x Double USB, Type A+C charger socket (2.1A shared)
- 1 x HDMI 2.0 Socket with 3m cable and plug
- 2 x RJ45 Cat6, shielded, Reichle & De-Massari data connections, with 3m data cables and plugs


Product Codes:

FDOC-Q13261-1 (Silver Anodised)

FDOC-Q13261-2 (Black Anodised)

FDOC-Q13261-3 (White Anodised)





EVOLine® U-Dock

The EVOLine® U-Dock provides a modular and versatile under desk solution.

Robust in design, this functional system is ideal for placement of power and connectivity under a meeting or boardroom table, accessible via an opening in/behind the table.

Alternatively the U-Dock can be installed within the custom designed EVOLine® Rail.

The U-Dock can be tailored to individual interiors and specified with UK and/or international sockets, USB Chargers, data and multimedia modules.

Finish Options

Silver anodised aluminium profile, Black plastic end covers.

Mounting Options

End Cap with mounting tabs (screw fixed).

Flush Mounting set with wing nuts or screws within EVOLine® Rail.

Description: EVOLine® U Dock with UK Mains & USB Charge


220mm Long case (including tabs)

- 2 x UK sockets, individually fused 3.15A, with 3m supply cable & 13A UK plug
- 1 x Double USB, Type A+C charger socket (2.1A shared)

Product Codes:

UDOC-Q12610-1 Black and Silver

UDOC-Q12610-2 All Black



Description: EVOLine® U Dock with UK Mains, USB Charge & RJ45


325mm Long case (including tabs)

- 2 x UK sockets, individually fused 3.15A, with 3m supply cable & 13A UK plug
- 1 x Double USB, Type A+C charger socket (2.1A shared)
- 2 x RJ45 Cat6, shielded, Reichle & De-Massari data connection, with 3m data cable and plug

Product Codes:

UDOC-Q12611-1 Black and Silver

UDOC-Q12611-3 All Black





Description: EVOLine® U Dock with UK Mains, USB Charge & HDMI


265mm Long case (including tabs)

- 2 x UK sockets, individually fused 3.15A, with 3m supply cable & 13A UK plug
- 1 x Double USB, Type A+C charger socket (2.1A shared)
- 1 x HDMI 2.0 socket, with 3m cable and plug

Product Codes:

UDOC-Q12612-1 Black and Silver

UDOC-Q12612-2 All Black



Description: EVOLine® U Dock with UK Mains, USB Charge, HDMI & RJ45


345mm Long case (including tabs)

- 2 x UK sockets, individually fused 3.15A, with 3m supply cable & 13A UK plug
- 1 x Double USB, Type A+C charger socket (2.1A shared)
- 1 x HDMI 2.0 socket, with 3m cable and plug
- 2 x RJ45 Cat6, shielded, Reichle & De-Massari data connection, with 3m data cable and plug

Product Codes:

UDOC-Q12613-1 Black and Silver

UDOC-Q12613-2 All Black



Description: EVOLine® U Dock with UK Mains, USB Charge, HDMI, USB Data & RJ45


425mm Long case (including tabs)

- 2 x UK sockets, individually fused 3.15A, with 3m supply cable & 13A UK plug
- 1 x Double USB, Type A+C charger socket (2.1A shared)
- 1 x HDMI 2.0 socket, with 3m cable and plug
- 2 x USB 3.0 Type A data transfer module with 3m USB cable and plug
- 2 x RJ45 Cat6, shielded, Reichle & De-Massari data connection, with 3m data cable and plug


Product Codes:

UDOC-Q12614-1 Black and Silver

UDOC-Q12614-2 All Black



Below you will see centre table hatches with brush strip which cover the Udock.





EVOLine® Square80

The EVOLine® Square80 is an innovative, compact and dynamic solution. In addition to the single power socket and USB charger, optional data connection, USB 2.0 Data transfer module, second USB charger or Qi wireless charger can be included in various configurations.

The Qi wireless charger is concealed within the sliding cover and can charge compatible mobile devices in the open or closed position, without the need for a charging cable even whilst using the other sockets.

With only 68mm depth, fitting into the industry standard 80mm circular cut-out, it is quick and easy to install whether for new build, refurbishment or retrofit.

Finish Options

Black plastic cover, Black plastic housing.

White plastic cover, White plastic housing.

Silver plastic cover, Black plastic housing.

Description: EVOLine® Square 80 with UK Mains & USB Charge A


- 1 x UK socket, individually fused 3.15A, with 3m supply cable & 13A UK plug
- 1 x USB charger Type A, 1A output per socket

Product Codes:

SQ80-Q11441-1 (Black)

SQ80-Q11441-2 (White)

SQ80-Q11441-3 (Silver)






Description: EVOline® Square 80 with UK Mains, USB Charge A & Qi Wireless Charge

- 1 x UK socket, individually fused 3.15A, with 3m supply cable & 13A UK plug
- 1 x USB charger Type A, 1A output per socket
- 1 x Qi Wireless Induction charger

Product Codes:

- SQ80-Q11443-1 (Black)
- SQ80-Q11443-2 (White)
- SQ80-Q11443-3 (Silver)




Description: EVOline® Square 80 with UK Mains, USB Charge A & RJ45

- 1 x UK socket, individually fused 3.15A, with 3m supply cable & 13A UK plug
- 1 x USB charger Type A, 1A output per socket
- 1 x RJ45 CAT6 Shielded Reichle & De-Massari data connection with 3m data cable and plug

Product Codes:

- SQ80-Q11444-1 (Black)
- SQ80-Q11444-2 (White)
- SQ80-Q11444-3 (Silver)




Description: EVOline® Square 80 with UK Mains, USB Charge A, Qi Wireless Charge & RJ45

- 1 x UK socket, individually fused 5A, with 3m supply cable & 13A UK plug
- 1 x USB charger Type A, 1A output per socket
- 1 x Qi Wireless Induction charger
- 1 x RJ45 CAT6 Shielded Reichle & De-Massari data connection with 3m data cable and plug

Product Codes:

- SQ80-Q11445-1 (Black)
- SQ80-Q11445-2 (White)
- SQ80-Q11445-3 (Silver)



Black



White



Silver




Description: EVOLine® Square 80 with UK Mains & USB Charge C

- 1 x UK socket, individually fused 3.15A, with 3m supply cable & 13A UK plug
- 1 x USB charger Type C, 1A output per socket

Product Codes:

- SQ80-Q12619-1 (Black)
- SQ80-Q12619-2 (White)
- SQ80-Q12619-3 (Silver)



Description: EVOLine® Square 80 with UK Mains, USB Charge A + C

- 1 x UK socket, individually fused 3.15A, with 3m supply cable & 13A UK plug
- 1 x USB charger Type A, 1A output per socket
- 1 x USB charger Type C, 1A output per socket

Product Codes:


- SQ80-Q12620-1 (Black)
- SQ80-Q12620-2 (White)
- SQ80-Q12620-3 (Silver)

Description: EVOLine® Square 80 with UK Mains, USB Charge C & Qi Wireless Charge

- 1 x UK socket, individually fused 3.15A, with 3m supply cable & 13A UK plug
- 1 x USB charger Type C, 1A output per socket
- 1 x Qi Wireless Induction charger

Product Codes:

- SQ80-Q12621-1 (Black)
- SQ80-Q12621-2 (White)
- SQ80-Q12621-3 (Silver)




Description: EVOLine® Square 80 with UK Mains, USB Charge C & RJ45

- 1 x UK socket, individually fused 3.15A, with 3m supply cable & 13A UK plug
- 1 x USB charger Type C, 1A output per socket
- 1 x RJ45 CAT6 Shielded Reichle & De-Massari data connection with 3m data cable and plug

Product Codes:

- SQ80-Q12622-1 (Black)
- SQ80-Q12622-2 (White)
- SQ80-Q12622-3 (Silver)




Description: EVOLine® Square 80 with UK Mains, USB Charge C, Qi Wireless Charge & RJ45

- 1 x UK socket, individually fused 5A, with 3m supply cable & 13A UK plug
- 1 x USB charger Type A, 1A output per socket
- 1 x Qi Wireless Induction charger
- 1 x RJ45 CAT6 Shielded Reichle & De-Massari data connection with 3m data cable and plug

Product Codes:

- SQ80-Q12623-1 (Black)
- SQ80-Q12623-2 (White)
- SQ80-Q12623-3 (Silver)





EVOline® Circle80

Part of the next generation 'Made in Germany' quality assured power & connectivity range from EVOline is the exciting new Circle80. A compact and contemporary 80mm solution, it offers a power socket, double USB charger and spacious cable aperture with sliding cable clip.


Can be upgraded to include (even retrospectively) various connectivity options such as HDMI, Cat6/6A Data or USB 3.0.

Quick and easy to install, including when retrofitting, a versatile solution for numerous horizontal and vertical applications.

Finish Options

Black plastic cover and housing

White plastic cover and housing



Above,
Power socket & Double USB Charger



Above,
Schuko Power socket & Double USB Charger 14



Description: EVOLine® Circle 80 with UK mains & USB charge

- 1 x UK socket, individually fused 3.15A, with 3m supply cable & 13A UK plug
- 1 x Double USB Type A+C charger (2.1A shared)



Product Code:

- CIR80-Q12626-1 (Black)
- CIR80-Q12626-2 (White)
- CIR80-Q12626-3 (Silver)

Description: EVOLine® Circle 80 with UK mains, USB charge & HDMI

- 1 x UK socket, individually fused 3.15A, with 3m supply cable & 13A UK plug
- 1 x Double USB Type A+C charger (2.1A shared)
- 1 x HDMI 2.0 socket, with 3m cable and plug



Product Code:

- CIR80-Q12627-1 (Black)
- CIR80-Q12627-2 (White)
- CIR80-Q12627-3 (Silver)

Description: EVOLine® Circle 80 with UK mains, USB charge & RJ45

- 1 x UK socket, individually fused 3.15A, with 3m supply cable & 13A UK plug
- 1 x Double USB Type A+C charger (2.1A shared)
- 1 x RJ45 Cat6, shielded, Reichle & De-Massari data connection



Product Code:

- CIR80-Q12628-1 (Black)
- CIR80-Q12628-2 (White)
- CIR80-Q12628-3 (Silver)

Description: EVOLine® Circle 80 inserts

Product Code:

- CIR80-Q12198-1 Blank insert (Black)
- CIR80-Q12198-2 Blank insert (White)
- CIR80-Q12198-3 6x apertures 2 of each 4mm, 7, & 9mm insert (Black)
- CIR80-Q12198-4 6x apertures 2 of each 4mm, 7, & 9mm insert (White)
- CIR80-Q12199-1 3x apertures 2x 4mm, 1x 9mm Cat6 insert
- CIR80-Q12199-2 3x apertures 2x 4mm, 1x 9mm Cat6A insert
- CIR80-Q12199-3 3x apertures 2x 4mm, 1x 9mm HDMI insert
- CIR80-Q12199-4 3x apertures 2x 4mm, 1x 9mm USB 3.0 TYPE A insert
- CIR80-Q12199-5 3x apertures 2x 4mm, 1x 9mm USB C 3.1 (Upto 60W/3A & 5GB Data Transfer) insert
- CIR80-Q12199-6 3x apertures 2x 4mm, 1x 9mm USB C 3.1 (Upto 100W/3A & 10GB Data Transfer) insert



Image shows a Circle 80 Monitor plate, ask your sales contact for more information



EVOLine® ONE

“RedDot Design Award” 2019, Iconic Awards “Innovative Interior” 2019

The ONE is the smallest ever Power & Connectivity innovation from EVOLine and very much part of their next generation of products. Available with various regional power socket or double USB charge for that subtle and discreet solution integrated within your furniture.

If required, the ONE can also be supplied with up to 2 means of combined connectivity such as HDMI, Cat6/6A or USB 3.0.

Quick and easy to install, including when retrofitting, a versatile solution for numerous horizontal and vertical applications.





Description: EVOLine® One with UK Mains

- 1 x UK socket, individually fused 3.15A, with 3m supply cable & 13A UK plug

Product Code:

ONE-Q12095-1 Black – No Cover



Description: EVOLine® One with UK Mains

- 1 x UK socket, individually fused 3.15A, with 3m supply cable & 13A UK plug

Product Code:

ONE-Q12095-2 White – No Cover



Description: EVOLine® One with UK Mains

- 1 x UK socket, individually fused 3.15A, with 3m supply cable & 13A UK plug

Product Code:

ONE-Q12095-3 Black with brushed stainless-steel trim – No Cover



Description: EVOLine® One with UK Mains

- 1 x UK socket, individually fused 3.15A, with 3m supply cable & 13A UK plug

Product Code:

ONE-Q12095-4 White with brushed stainless-steel trim – No Cover



Description: EVOLine® One with UK Mains

- 1 x Double USB, type A charger (2.1A shared) with 3m cable & 13A UK plug

Product Code:

ONE-Q12095-5 Black with Brass trim – No Cover



Description: EVOLine® One with UK Mains

- 1 x Double USB, type A charger (2.1A shared) with 3m cable & 13A UK plug

Product Code:

ONE-Q12095-6 White with Brass trim – No Cover





Description: EVOLine® One with USB charge

- 1 x Double USB, Type A+C charger (2.1A shared) with 3m cable & 13A UK plug

Product Code:

- ONE-Q12624-1 Black – No Cover
- ONE-Q12625-1 Black – With Cover



Description: EVOLine® One with USB charge

- 1 x Double USB, Type A+C charger (2.1A shared) with 3m cable & 13A UK plug

Product Code:

- ONE-Q12624-2 White - No Cover
- ONE-Q12625-2 White – With Cover



Description: EVOLine® One with USB charge

- 1 x Double USB, Type A+C charger (2.1A shared) with 3m cable & 13A UK plug

Product Code:

- ONE-Q12624-3 Black with brushed stainless-steel trim – No Cover
- ONE-Q12625-3 Black with brushed stainless-steel trim – With Cover



Description: EVOLine® One with USB charge

- 1 x Double USB, Type A+C charger (2.1A shared) with 3m cable & 13A UK plug

Product Code:

- ONE-Q12624-4 White with brushed stainless-steel trim – No Cover
- ONE-Q12625-4 White with brushed stainless-steel trim – With Cover



Description: EVOLine® One with USB charge

- 1 x Double USB, Type A+C charger (2.1A shared) with 3m cable & 13A UK plug

Product Code:

- ONE-Q12624-5 Black with Brass trim – No Cover
- ONE-Q12625-5 Black with Brass trim – With Cover



Description: EVOLine® One with USB charge

- 1 x Double USB, Type A+C charger (2.1A shared) with 3m cable & 13A UK plug

Product Code:

- ONE-Q12624-6 White with Brass trim – No Cover
- ONE-Q12625-6 White with Brass trim – With Cover





Description: EVOLine® One with HDMI

- 1 x HDMI 2.0 socket, with 3m supply cable & plug

Product Code:

ONE-Q12193-1 Black - No Cover

Description: EVOLine® One with HDMI

- 1 x HDMI 2.0 socket, with 3m supply cable & plug

Product Code:

ONE-Q12193-2 White - No Cover

Description: EVOLine® One with HDMI

- 1 x HDMI 2.0 socket, with 3m supply cable & plug

Product Code:

ONE-Q12193-3 Black with brushed stainless-steel trim – No Cover

Description: EVOLine® One with HDMI

- 1 x HDMI 2.0 socket, with 3m supply cable & plug

Product Code:

ONE-Q12193-4 White with brushed stainless-steel trim – No Cover

Description: EVOLine® One with HDMI

- 1 x HDMI 2.0 socket, with 3m supply cable & plug

Product Code:

ONE-Q12193-5 Black with Brass trim – No Cover

**Description: EVOLine® One with HDMI**

- 1 x HDMI 2.0 socket, with 3m supply cable & plug

Product Code:

ONE-Q12193-6 White with Brass trim – No Cover





Description: EVOLine® One with HDMI

- 2 x HDMI 2.0 socket, with 3m supply cable & plug

Product Code:

ONE-Q12194-1 Black - No Cover

Description: EVOLine® One with HDMI

- 2 x HDMI 2.0 socket, with 3m supply cable & plug

Product Code:

ONE-Q12194-2 White - No Cover

Description: EVOLine® One with HDMI

- 2 x HDMI 2.0 socket, with 3m supply cable & plug

Product Code:

ONE-Q12194-3 Black with brushed stainless-steel trim – No Cover

Description: EVOLine® One with HDMI

- 2 x HDMI 2.0 socket, with 3m supply cable & plug

Product Code:

ONE-Q12194-4 White with brushed stainless-steel trim – No Cover

Description: EVOLine® One with HDMI

- 2 x HDMI 2.0 socket, with 3m supply cable & plug

Product Code:

ONE-Q12194-5 Black with Brass trim – No Cover



Description: EVOLine® One with HDMI

- 2 x HDMI 2.0 socket, with 3m supply cable & plug

Product Code:

ONE-Q12194-6 White with Brass trim – No Cover





Description: EVOLine® One with RJ45 Cat6

- 1 x RJ45 CAT6 Shielded Reichle & De-Massari data connection, with 3m supply cable & plug

Product Code:

ONE-Q12195-1 Black - No Cover

Description: EVOLine® One with RJ45 Cat6

- 1 x RJ45 CAT6 Shielded Reichle & De-Massari data connection, with 3m supply cable & plug

Product Code:

ONE-Q12195-2 White - No Cover

Description: EVOLine® One with RJ45 Cat6

- 1 x RJ45 CAT6 Shielded Reichle & De-Massari data connection, with 3m supply cable & plug

Product Code:

ONE-Q12195-3 Black with brushed stainless-steel trim – No Cover

Description: EVOLine® One with RJ45 Cat6

- 1 x RJ45 CAT6 Shielded Reichle & De-Massari data connection, with 3m supply cable & plug

Product Code:

ONE-Q12195-4 White with brushed stainless-steel trim – No Cover

Description: EVOLine® One with RJ45 Cat6

- 1 x RJ45 CAT6 Shielded Reichle & De-Massari data connection, with 3m supply cable & plug

Product Code:

ONE-Q12195-5 Black with Brass trim – No Cover

**Description: EVOLine® One with RJ45 Cat6**

- 1 x RJ45 CAT6 Shielded Reichle & De-Massari data connection, with 3m supply cable & plug

Product Code:

ONE-Q12195-6 White with Brass trim – No Cover





Description: EVOLine® One with RJ45 Cat6

- 2 x RJ45 CAT6 Shielded Reichle & De-Massari data connection, with 3m supply cable & plug

Product Code:

ONE-Q12196-1 Black - No Cover

Description: EVOLine® One with RJ45 Cat6

- 2 x RJ45 CAT6 Shielded Reichle & De-Massari data connection, with 3m supply cable & plug

Product Code:

ONE-Q12196-2 White - No Cover

Description: EVOLine® One with RJ45 Cat6

- 2 x RJ45 CAT6 Shielded Reichle & De-Massari data connection, with 3m supply cable & plug

Product Code:

ONE-Q12196-3 Black with brushed stainless-steel trim – No Cover

Description: EVOLine® One with RJ45 Cat6

- 2 x RJ45 CAT6 Shielded Reichle & De-Massari data connection, with 3m supply cable & plug

Product Code:

ONE-Q12196-4 White with brushed stainless-steel trim – No Cover

Description: EVOLine® One with RJ45 Cat6

- 2 x RJ45 CAT6 Shielded Reichle & De-Massari data connection, with 3m supply cable & plug

Product Code:

ONE-Q12196-5 Black with Brass trim – No Cover

**Description: EVOLine® One with RJ45 Cat6**

- 2 x RJ45 CAT6 Shielded Reichle & De-Massari data connection, with 3m supply cable & plug

Product Code:

ONE-Q12196-6 White with Brass trim – No Cover





EVOLine® Dock Fix

Practical versatility. The DockFix is the ideal solution for areas requiring a high degree of versatility and customisation. It scores top marks for variable lengths and freely configurable connections for power, data and multimedia devices. Thanks to the two metal end caps with mounting brackets, the DockFix is easily fitted directly on, or underneath the tabletop, sideboard or lounge furniture, depending on the model. The clever part is that the DockFix can be positioned anywhere on the surface and lies flat. As a result, all connections are easy to reach. The DockFix also allows plenty of design options





Description: EVOLine® Dock Fix with UK Mains & USB Charge

- 2 x UK Socket, individually fused 3.15A with 3m supply cable & 13A UK plug
- 1 X Double USB Type A+C charge (2.1A Shared)

Product Code:

DOCF-Q13271-1 Silver
DOCF-Q13271-2 Black
DOCF-Q13271-3 White



Description: EVOLine® Dock Fix with UK Mains, USB Charge & RJ45

- 2 x UK Socket, individually fused 3.15A with 3m supply cable & 13A UK plug
- 1 X Double USB Type A+C charge (2.1A Shared)
- 2 x RJ45 CAT6 Shielded Reichle & De-Massari data connection, with 3m supply cable & plug

Product Code:

DOCF-Q13272-1 Silver
DOCF-Q13272-2 Black
DOCF-Q13272-3 White



Description: EVOLine® Dock Fix with UK Mains, USB Charge & HDMI

- 2 x UK Socket, individually fused 3.15A with 3m supply cable & 13A UK plug
- 1 X Double USB Type A+C charge (2.1A Shared)
- 2 x HDMI 2.0 socket, with 3m cable and plug

Product Code:

DOCF-Q13273-1 Silver
DOCF-Q13273-2 Black
DOCF-Q13273-3 White



Description: EVOLine® Dock Fix with UK Mains, USB Charge, RJ45 & HDMI

- 2 x UK Socket, individually fused 3.15A with 3m supply cable & 13A UK plug
- 1 X Double USB Type A+C charge (2.1A Shared)
- 2 x RJ45 CAT6 Shielded Reichle & De-Massari data connection, with 3m supply cable & plug
- 2 x HDMI 2.0 socket, with 3m cable and plug

Product Code:

DOCF-Q13274-1 Silver
DOCF-Q13274-2 Black
DOCF-Q13274-3 White



Finishes



silver



black



white



EVOline® Back Flip

Always available, but never in the way. When closed, the EVOline BackFlip is only a thin panel on the desktop. Push it with a finger and it rotates by 180 degrees to show its useful side: USB charger and power sockets are located so far above the panel that they are protected against water running in from the side. The low installation depth of just 53 mm allows mounting even above drawers or devices.



Finishes



Stainless steel
brushed



Stainless steel
brass look printed



Stainless steel
matt black lacquered
(similar RAL 9005)



Stainless steel
matt white lacquered
(similar RAL 9010)



Glass
glossy black
(similar RAL 9005)



Glass
matt white
(similar RAL 9003)



Ceramic
concrete look



Description: EVOLine® Back Flip with UK Mains & USB Charge

- 2 x UK Socket, individually fused 3.15A with 3m supply cable & 13A UK plug
- 1 X Double USB Type A charge

Product Code:

BACK-Q11438-1 Stainless Steel
BACK-Q11440-1 Black Gloss
BACK-Q12636-1 Brass
BACK-Q11440-2 White Gloss
BACK-Q11439-1 Black Steel
BACK-Q12138-1 Grey Ceramic
BACK-Q11439-2 White Steel

Description: EVOLine® Back Flip with UK Mains & USB Charge

- 2 x UK Socket, individually fused 3.15A with 3m supply cable & 13A UK plug
- 1 X Double USB Type C charge

Product Code:

BACK-Q12615-1 Stainless Steel
BACK-Q12617-1 Black Gloss
BACK-Q12636-2 Brass
BACK-Q12617-2 White Gloss
BACK-Q12616-1 Black Steel
BACK-Q12618-1 Grey Ceramic
BACK-Q12616-2 White Steel








Description: EVOLine® Bridge

The EVOLine Bridge tidies up the cable routing. The rail is rigid, suitable for rolling over and so flat that no tripping hazard arises. Power and data cables are laid separately in two compartments in their sturdy anodised aluminium housing.

Product Code:


BRID-Q12493-1 Silver 500mm
BRID-Q12493-2 Silver 800mm
BRID-Q12493-3 Silver 1200mm
BRID-Q12493-4 Silver 1600mm
BRID-Q12493-5 Silver 2000mm

BRID-Q12494-1 Black 500mm
BRID-Q12494-2 Black 800mm
BRID-Q12494-3 Black 1200mm
BRID-Q12494-4 Black 1600mm
BRID-Q12494-5 Black 2000mm



Bridge Module Arc 90°

includes 4 Fixing bolt



Description: EVOLine® Bridge Modules


Junctions / Connections

Product Code:

BRID-Q12495-1 Black Corner Module
BRID-Q12495-2 Black T Module
BRID-Q12495-3 Black Cross Module
BRID-Q12495-4 Black Bridge to Wirelane Module
BRID-Q12495-5 Black Bridge to Vertical Module
BRID-Q12495-6 Black Bridge Connectors (2 pieces)


Bridge Module T

includes 6 Fixing bolts



Bridge Module Cross

includes 8 Fixing bolts



Bridge Module Adaptor WireLane

can also be used as end piece.




Bridge Module Vertical



Bridge Connectors

2 Pieces





Description: EVOLine® Sleeve

Flexible, made of polyester fabric with zipper for bundling cables

Product Code:

CABL.Q12683.1 – 20mm Dia (Max 30mm) with Zip
CABL.Q12683.2 – 35mm Dia (Max 50mm) with Zip



Description: EVOLine® WireLane

Under desk cable channel made of plastic.
The elements can be linked and separated.

Product Code:

WIRE.Q12496.1 – Grey Wirelane, 3x 250mm (Links closed) or 3x 330mm (Links open)
WIRE.Q12496.2 – Black Wirelane, 3x 250mm (Links closed) or 3x 330mm (Links open)



Description: EVOLine® WireLane Strain Relief

In black plastic with two clamps for cable.

Product Code:

WIRE.Q12496.3 – Wirelane Strain Relief



Description: EVOLine® Mains lead

UK power supply cable with GST18 plug and 13A plug

Product Code:


EXPR.Q13236-1 1m Length
EXPR.Q13236-2 2m Length
EXPR.Q13236-3 3m Length





Comprehensive range available


Book 1 - Acoustics



Book 2 & 3 - Lecterns



Book 4 – Cabinets & Credenzas




Book 5 – Tables & Desks



Book 6 – Control room & Enquiry Room



Book 7 – Media Walls & Screen Surrounds




Book 8 – Collaboration Tables & Towers



Book 9 – Media & Signage Towers



Book 10 – Pigo Trolleys & Stands



Book 11 – Kaigi Booth's & Media Walls




Book 12 – Connectivity



Book 13 – Task & Meeting Chairs



Book 14 - Peripherals








Over 26 years of experience within the audio visual furniture industry and with a reputation for being friendly and reliable to deal with, we treat every project with the same level of importance.

Our furniture is manufactured at our York facility which you are welcome to visit and see your project in the build process or just to have a look around.

You will be able to see the high level of investment in technology and the deep passion we have for what we do.

Quadra AV Furniture Ltd
Head Office : Glaisdale Road,
Northminster Business Park,
Upper Poppleton, York, YO26 6QT

Web - www.qavf.co.uk
Telephone - 01904 528 519
Email - enquiries@qavf.co.uk



Quadra Concepts UK Limited trading as Quadra AV Furniture is registered in England and Wales.
Reg No. 06322818 – VAT No. GB 916 3405 38